

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: **P0075**  
Product name: **FLOOR K300**  
  
UFI: **5PQ0-J0RT-A005-9AK8**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: **Malta colabile autolivellante**

#### 1.3. Details of the supplier of the safety data sheet

Name: **Licata S.p.A.**  
Full address: **Via dei Mille 32**  
District and Country: **00185 Roma (RM) Italia**  
  
Tel.: **+39 0922 856088**  
Fax: **+39 0922 831427**  
  
e-mail address of the competent person responsible for the Safety Data Sheet: **controllo-qualita@licataspa.it**

#### 1.4. Emergency telephone number

For urgent inquiries refer to:  
**NHS111in England: 111**  
**NHS24in Scotland: 111**  
**NHS Direct in Wales: 111 or 0845 4647**  
**In an emergency, if the patient has collapsed or is not breathing properly, call 999**

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.
Specific target organ toxicity - single exposure, category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1B	H317	May cause an allergic skin reaction.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: **Danger**

<div> <div>Licata S.p.A.</div> <div>P0075 - FLOOR K300</div> </div>		<div> <div>Revision nr.5</div> <div>Dated 19/03/2025</div> <div>Printed on 19/03/2025</div> <div>Page n. 2 / 12</div> <div>Replaced revision:4 (Dated 07/10/2024)</div> </div> <div>EN</div>
SECTION 2. Hazards identification ... / >>		
<div> <div>Hazard statements:</div> <div> <div>H318</div> <div>H315</div> <div>H335</div> <div>H317</div> </div> <div> <div>Causes serious eye damage.</div> <div>Causes skin irritation.</div> <div>May cause respiratory irritation.</div> <div>May cause an allergic skin reaction.</div> </div> </div> <div> <div>Precautionary statements:</div> <div> <div>P305+P351+P338</div> <div>P280</div> <div>P310</div> <div>P261</div> <div>P403+P233</div> <div>P264</div> </div> <div> <div>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</div> <div>Wear protective gloves / eye protection / face protection.</div> <div>Immediately call a POISON CENTER / doctor / . . .</div> <div>Avoid breathing dust / fume / gas / mist / vapours / spray.</div> <div>Store in a well-ventilated place. Keep container tightly closed.</div> <div>Wash . . . thoroughly after handling.</div> </div> </div> <div> <div>Contains:</div> <div>Portland cement clinker</div> <div>flue dust</div> </div>		
2.3. Other hazards		
<div>On the basis of available data, the product does not contain any PBT or vPvB in percentage <math>\geq</math> than 0,1%.</div> <div>The product does not contain substances with endocrine disrupting properties in concentration <math>\geq</math> 0.1%.</div>		
SECTION 3. Composition/information on ingredients		
3.2. Mixtures		
Contains:		
Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
<div>QUARTZ</div> <div>INDEX</div> <div>EC 238-878-4</div> <div>CAS 14808-60-7</div>	$40 \leq x < 42,5$	Substance with a community workplace exposure limit.
<div>Portland cement clinker</div> <div>INDEX</div> <div>EC 266-043-4</div> <div>CAS 65997-15-1</div>	$30 \leq x < 32,5$	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317
<div>flue dust</div> <div>INDEX</div> <div>EC 270-659-9</div> <div>CAS 68475-76-3</div> <div>REACH Reg. 01-2119486767-17-0</div>	$0,809 \leq x < 0,909$	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1 H317
<div>QUARTZ</div> <div>INDEX</div> <div>EC 238-878-4</div> <div>CAS 14808-60-7</div>	$0,2 \leq x < 0,25$	STOT RE 1 H372
<div>STANNOUS SULFATE</div> <div>INDEX</div> <div>EC 231-302-2</div> <div>CAS 7488-55-3</div>	$0 < x < 0,05$	Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335
The full wording of hazard (H) phrases is given in section 16 of the sheet.		
SECTION 4. First aid measures		
4.1. Description of first aid measures		
<div>In case of doubt or in the presence of symptoms contact a doctor and show him this document.</div> <div>In case of more severe symptoms, ask for immediate medical aid.</div> <div>EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.</div> <div>SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get</div>		
<div>EPY 11.7.2 - SDS 1004.14</div>		

# Licata S.p.A.

## P0075 - FLOOR K300

Revision nr.5  
Dated 19/03/2025  
Printed on 19/03/2025  
Page n. 3 / 12  
Replaced revision:4 (Dated 07/10/2024)

EN

### SECTION 4. First aid measures ... / >>

medical advice/attention. Avoid further contact with contaminated clothing.

**INGESTION:** Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

**INHALATION:** Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

#### Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

**DELAYED EFFECTS:** Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor / . . .

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

### SECTION 5. Firefighting measures

#### 5.1. Extinguishing media

**SUITABLE EXTINGUISHING EQUIPMENT**

Choose the most appropriate extinguishing equipment for the specific case.

**UNSUITABLE EXTINGUISHING EQUIPMENT**

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

The product is neither flammable nor combustible.

#### 5.3. Advice for firefighters

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### SECTION 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Licata S.p.A.					Revision nr.5 Dated 19/03/2025 Printed on 19/03/2025 Page n. 4 / 12 Replaced revision:4 (Dated 07/10/2024)					EN
P0075 - FLOOR K300										
SECTION 6. Accidental release measures ... / >>										
6.4. Reference to other sections										
Any information on personal protection and disposal is given in sections 8 and 13.										
SECTION 7. Handling and storage										
7.1. Precautions for safe handling										
Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.										
7.2. Conditions for safe storage, including any incompatibilities										
Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.										
7.3. Specific end use(s)										
Information not available										
SECTION 8. Exposure controls/personal protection										
8.1. Control parameters										
Regulatory references:										
ESP	España	Límites de exposición profesional para agentes químicos en España 2023								
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021								
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnimkemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)								
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81								
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19)								
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)								
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.								
	TLV-ACGIH	ACGIH 2023								
Portland cement clinker										
Threshold Limit Value										
Type	Country	TWA/8h		STEL/15min		Remarks / Observations				
		mg/m3	ppm	mg/m3	ppm					
VLEP	ITA	1								
flue dust										
Predicted no-effect concentration - PNEC										
Normal value in fresh water						0,282	mg/l			
Normal value in marine water						0,028	mg/l			
Normal value for fresh water sediment						0,875	mg/kg/d			
Normal value for marine water sediment						0,088	mg/kg/d			
Normal value for water, intermittent release						0,282	mg/l			
Normal value of STP microorganisms						6	mg/l			
Normal value for the terrestrial compartment						5	mg/kg/d			
Health - Derived no-effect level - DNEL / DMEL										
Route of exposure	Effects on consumers				Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic		
	local	systemic	local	systemic	local	systemic	local	systemic		
Inhalation			0,84		4		0,84			
			mg/m3		mg/m3		mg/m3			

EPY 11.7.2 - SDS 1004.14

# Licata S.p.A.

## P0075 - FLOOR K300

Revision nr.5  
Dated 19/03/2025  
Printed on 19/03/2025  
Page n. 5 / 12  
Replaced revision:4 (Dated 07/10/2024)

EN

### SECTION 8. Exposure controls/personal protection ... / >>

#### QUARTZ

##### Threshold Limit Value

Type	Country	TWA/8h	STEL/15min	Remarks / Observations
		mg/m3	ppm	
VLA	ESP		0,05	RESP
VLEP	FRA	0,1		RESP
GVI/KGVI	HRV	0,1		
VLEP	ITA	0,1		RESP
MV	SVN	0,15		RESP
OEL	EU	0,1		RESP
TLV-ACGIH		0,025		RESP

#### QUARTZ

##### Threshold Limit Value

Type	Country	TWA/8h	STEL/15min	Remarks / Observations
		mg/m3	ppm	
VLA	ESP		0,05	RESP
VLEP	FRA	0,1		RESP
GVI/KGVI	HRV	0,1		
VLEP	ITA	0,1		RESP
MV	SVN	0,15		RESP
OEL	EU	0,1		RESP
TLV-ACGIH		0,025		RESP

#### STANNOUS SULFATE

##### Threshold Limit Value

Type	Country	TWA/8h	STEL/15min	Remarks / Observations
		mg/m3	ppm	
VLA	ESP	2		Como Sn
GVI/KGVI	HRV	2		Kao Sn
MV	SVN	8		INHAL Kot Sn
WEL	GBR	2	4	As Sn
OEL	EU	2		
TLV-ACGIH		2		INHAL Sn

##### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.  
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment. The above values are not TLVs, but guide values, to be used for particles that do not have their own TLV and that are insoluble or poorly soluble in water and have low toxicity.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

#### RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Licata S.p.A.		Revision nr.5 Dated 19/03/2025 Printed on 19/03/2025 Page n. 6 / 12 Replaced revision:4 (Dated 07/10/2024)	EN
P0075 - FLOOR K300			
SECTION 9. Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Properties	Value	Information	
Appearance	powder		
Colour	grey		
Odour	characteristic		
Melting point / freezing point	not available		
Initial boiling point	not available		
Flammability	incombustible		
Lower explosive limit	not available		
Upper explosive limit	not available		
Flash point	not available		
Auto-ignition temperature	not available		
Decomposition temperature	not available		
pH	11		
Kinematic viscosity	not available		
Solubility	soluble		
Partition coefficient: n-octanol/water	not available		
Vapour pressure	not available		
Density and/or relative density	not available		
Relative vapour density	not available		
Particle characteristics	not available		
9.2. Other information			
9.2.1. Information with regard to physical hazard classes			
Flammable liquids			
Sustained combustibility	does not sustain combustion		
9.2.2. Other safety characteristics			
Information not available			
SECTION 10. Stability and reactivity			
10.1. Reactivity			
There are no particular risks of reaction with other substances in normal conditions of use.			
CALCIUM CARBONATE			
Decomposes at temperatures above 800°C/1472°F.			
10.2. Chemical stability			
The product is stable in normal conditions of use and storage.			
QUARTZ			
Stable in normal conditions of use and storage.			
10.3. Possibility of hazardous reactions			
No hazardous reactions are foreseeable in normal conditions of use and storage.			
10.4. Conditions to avoid			
None in particular. However the usual precautions used for chemical products should be respected.			
QUARTZ			
Decomposes if exposed to: sources of heat.			
10.5. Incompatible materials			
QUARTZ			
EPY 11.7.2 - SDS 1004.14			

<div> <div>Licata S.p.A.</div> <div>P0075 - FLOOR K300</div> </div>		<div> <div>Revision nr.5</div> <div>Dated 19/03/2025</div> <div>Printed on 19/03/2025</div> <div>Page n. 7 / 12</div> <div>Replaced revision:4 (Dated 07/10/2024)</div> </div> <div>EN</div>
<div>SECTION 10. Stability and reactivity ... / &gt;&gt;</div>		
<div> <div>Incompatible with: Oxidants.</div> <div>CALCIUM CARBONATE</div> <div>Incompatible with: acids.</div> <div>10.6. Hazardous decomposition products</div> <div>CALCIUM CARBONATE</div> <div>May develop: calcium oxides,carbon oxides.</div> </div>		
<div>SECTION 11. Toxicological information</div>		
<div> <div>In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.</div> <div>It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.</div> </div>		
<div>11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008</div>		
<div> <div>Metabolism, toxicokinetics, mechanism of action and other information</div> <div>Information not available</div> <div>Information on likely routes of exposure</div> <div>Information not available</div> <div>Delayed and immediate effects as well as chronic effects from short and long-term exposure</div> <div>Information not available</div> <div>Interactive effects</div> <div>Information not available</div> <div>ACUTE TOXICITY</div> <div> <div>ATE (Inhalation) of the mixture:</div> <div>ATE (Oral) of the mixture:</div> <div>ATE (Dermal) of the mixture:</div> <div> <div>Not classified (no significant component)</div> <div>Not classified (no significant component)</div> <div>Not classified (no significant component)</div> </div> </div> <div> <div>flue dust</div> <div>LD50 (Dermal):</div> <div>LD50 (Oral):</div> <div>LC50 (Inhalation mists/powders):</div> <div> <div>2000 mg/kg Ratto</div> <div>1848 mg/kg Ratto</div> <div>6,04 mg/l/4h Ratto</div> </div> </div> <div> <div>CALCIUM CARBONATE</div> <div>LD50 (Dermal):</div> <div>LD50 (Oral):</div> <div>LC50 (Inhalation mists/powders):</div> <div> <div>2000 mg/kg</div> <div>2000 mg/kg Rat</div> <div>3 mg/l</div> </div> </div> <div> <div>STANNOUS SULFATE</div> <div>LD50 (Oral):</div> <div>LC50 (Inhalation mists/powders):</div> <div> <div>2207 mg/kg Rat</div> <div>2 mg/l/4h Rat</div> </div> </div> </div>		
<div> <div>SKIN CORROSION / IRRITATION</div> <div>Causes skin irritation</div> <div>SERIOUS EYE DAMAGE / IRRITATION</div> <div>Causes serious eye damage</div> <div>RESPIRATORY OR SKIN SENSITISATION</div> <div>Sensitising for the skin</div> <div>GERM CELL MUTAGENICITY</div> <div>Does not meet the classification criteria for this hazard class</div> </div>		

# Licata S.p.A.

## P0075 - FLOOR K300

Revision nr.5  
Dated 19/03/2025  
Printed on 19/03/2025  
Page n. 8 / 12  
Replaced revision:4 (Dated 07/10/2024)

EN

### SECTION 11. Toxicological information ... / >>

#### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

May cause respiratory irritation

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

#### 12.1. Toxicity

flue dust	
EC50 - for Algae / Aquatic Plants	28,2 mg/l/72h
EC10 for Algae / Aquatic Plants	10,3 mg/l/72h
Chronic NOEC for Fish	11,1 mg/l
Chronic NOEC for Crustacea	100 mg/l
Chronic NOEC for Algae / Aquatic Plants	10,3 mg/l

CALCIUM CARBONATE	
EC50 - for Algae / Aquatic Plants	> 14 mg/l/72h

#### 12.2. Persistence and degradability

flue dust  
Degradability: information not available

QUARTZ  
Degradability: information not available

QUARTZ  
Degradability: information not available

CALCIUM CARBONATE  
Solubility in water 16,6 mg/l  
Degradability: information not available Sostanza inorganica

STANNOUS SULFATE  
Solubility in water > 10000 mg/l  
Degradability: information not available

#### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil



<div>Licata S.p.A.</div> <div>P0075 - FLOOR K300</div>		Revision nr.5 Dated 19/03/2025 Printed on 19/03/2025 Page n. 9 / 12 Replaced revision:4 (Dated 07/10/2024)	EN
SECTION 12. Ecological information ... / >>			
Information not available			
12.5. Results of PBT and vPvB assessment			
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.			
12.6. Endocrine disrupting properties			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.			
12.7. Other adverse effects			
Information not available			
SECTION 13. Disposal considerations			
13.1. Waste treatment methods			
Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.			
SECTION 14. Transport information			
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.			
14.1. UN number or ID number			
not applicable			
14.2. UN proper shipping name			
not applicable			
14.3. Transport hazard class(es)			
not applicable			
14.4. Packing group			
not applicable			
14.5. Environmental hazards			
not applicable			
14.6. Special precautions for user			
not applicable			
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
EPY 11.7.2 - SDS 1004.14			

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance  
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors  
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>STOT RE 1</b>	Specific target organ toxicity - repeated exposure, category 1
<b>Eye Dam. 1</b>	Serious eye damage, category 1
<b>Eye Irrit. 2</b>	Eye irritation, category 2
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>STOT SE 3</b>	Specific target organ toxicity - single exposure, category 3
<b>Skin Sens. 1</b>	Skin sensitization, category 1
<b>Skin Sens. 1B</b>	Skin sensitization, category 1B
<b>H372</b>	Causes damage to organs through prolonged or repeated exposure.
<b>H318</b>	Causes serious eye damage.
<b>H319</b>	Causes serious eye irritation.
<b>H315</b>	Causes skin irritation.
<b>H335</b>	May cause respiratory irritation.
<b>H317</b>	May cause an allergic skin reaction.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%

# Licata S.p.A.

## P0075 - FLOOR K300

Revision nr.5  
Dated 19/03/2025  
Printed on 19/03/2025  
Page n. 11 / 12  
Replaced revision:4 (Dated 07/10/2024)

EN

### SECTION 16. Other information ... / >>

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

# Licata S.p.A.

## P0075 - FLOOR K300

Revision nr.5  
Dated 19/03/2025  
Printed on 19/03/2025  
Page n. 12 / 12  
Replaced revision:4 (Dated 07/10/2024)

EN

### SECTION 16. Other information ... / >>

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 08 / 10 / 11 / 12 / 16.