

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: P0035
Product name: GLOSSY OPACO BIANCO
UFI: RHT0-80HW-E00G-4KTD

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Idropittura

1.3. Details of the supplier of the safety data sheet

Name: Licata S.p.A.
Full address: Via dei Mille 32
District and Country: 00185 Roma (RM)
Italia
Tel.: +39 0922 856088
Fax: +39 0922 831427
e-mail address of the competent person responsible for the Safety Data Sheet: controllo-qualita@licataspa.it

1.4. Emergency telephone number

For urgent inquiries refer to:
NHS111in England: 111
NHS24in Scotland: 111
NHS Direct in Wales: 111 or 0845 4647
In an emergency, if the patient has collapsed or is not breathing properly, call 999

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 3	H412	Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:
H317 May cause an allergic skin reaction.

Licata S.p.A.		Revision nr.5 Dated 13/06/2025 Printed on 13/06/2025 Page n. 2 / 16 Replaced revision:4 (Dated 15/10/2024)		EN
P0035 - GLOSSY OPACO BIANCO				
SECTION 2. Hazards identification ... / >>				
H412	Harmful to aquatic life with long lasting effects.			
Precautionary statements:				
P280	Wear protective gloves.			
P261	Avoid breathing dust / fume / gas / mist / vapours / spray.			
P333+P313	If skin irritation or rash occurs: Get medical advice / attention.			
P362+P364	Take off contaminated clothing and wash it before reuse.			
P273	Avoid release to the environment.			
Contains:	2-OCTYL-2H-ISOTHIAZOL-3-ONE REACTION MASS OF 5-CHLORO-2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) 1,2-Benzoisothiazol-3(2H)-one			
2.3. Other hazards				
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.				
The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.				
SECTION 3. Composition/information on ingredients				
3.2. Mixtures				
Contains:				
Identification		x = Conc. %	Classification (EC) 1272/2008 (CLP)	
ETHANEDIOL				
INDEX	603-027-00-1	1 ≤ x < 2	Acute Tox. 4 H302, STOT RE 2 H373	
EC	203-473-3		ATE Oral: 500 mg/kg	
CAS	107-21-1			
Trimethylolpropane				
INDEX		0,2 ≤ x < 0,25	Repr. 2 H361fd	
EC	201-074-9			
CAS	77-99-6			
REACH Reg.	01-2119486799-10-XXXX			
3-iodo-2-propinilbutylcarbammato				
INDEX	616-212-00-7	0,047 ≤ x < 0,051	Acute Tox. 3 H331, Acute Tox. 4 H302, STOT RE 1 H372, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1	
EC	259-627-5		LD50 Oral: 1056 mg/kg, ATE Inhalation mists/powders: 0,501 mg/l	
CAS	55406-53-6			
1,2-Benzoisothiazol-3(2H)-one				
INDEX	613-088-00-6	0,015 ≤ x < 0,018	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1	
EC	220-120-9		Skin Sens. 1A H317: ≥ 0,036%	
CAS	2634-33-5		LD50 Oral: 675,3 mg/kg, ATE Inhalation mists/powders: 0,051 mg/l, ATE Inhalation vapours: 0,501 mg/l	
2-OCTYL-2H-ISOTHIAZOL-3-ONE				
INDEX	613-112-00-5	0,0025 ≤ x < 0,006	Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1 H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071	
EC	247-761-7		Skin Sens. 1A H317: ≥ 0,0015%	
CAS	26530-20-1		LD50 Oral: 125 mg/kg, LD50 Dermal: 311 mg/kg, ATE Inhalation mists/powders: 0,051 mg/l	
REACTION MASS OF 5-CHLORO-2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)				
INDEX	613-167-00-5	0,0015 ≤ x < 0,0025	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUH071, Classification note according to Annex VI to the CLP Regulation: B	
EC	611-341-5		Skin Corr. 1C H314: ≥ 0,6%, Skin Irrit. 2 H315: ≥ 0,06% - < 0,6%, Skin Sens. 1A H317: ≥ 0,0015%, Eye Dam. 1 H318: ≥ 0,6%, Eye Irrit. 2 H319: ≥ 0,06% - < 0,6%	
CAS	55965-84-9		LD50 Oral: 64 mg/kg, LD50 Dermal: 87,12 mg/kg, LC50 Inhalation	
COPY 11.9.0 - SDS 1004.14				

SECTION 3. Composition/information on ingredients ... / >>

mists/powders: 0,33 mg/l/4h

REACH Reg. 01-2120764691-48

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice / attention.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

Licata S.p.A.		Revision nr.5 Dated 13/06/2025 Printed on 13/06/2025 Page n. 4 / 16 Replaced revision:4 (Dated 15/10/2024)	EN
P0035 - GLOSSY OPACO BIANCO			
SECTION 6. Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
<p>Block the leakage if there is no hazard.</p> <p>Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.</p>			
6.2. Environmental precautions			
<p>The product must not penetrate into the sewer system or come into contact with surface water or ground water.</p>			
6.3. Methods and material for containment and cleaning up			
<p>Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.</p> <p>Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.</p>			
6.4. Reference to other sections			
<p>Any information on personal protection and disposal is given in sections 8 and 13.</p>			
SECTION 7. Handling and storage			
7.1. Precautions for safe handling			
<p>Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.</p>			
7.2. Conditions for safe storage, including any incompatibilities			
<p>Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.</p>			
7.3. Specific end use(s)			
<p>Information not available</p>			
SECTION 8. Exposure controls/personal protection			
8.1. Control parameters			
Regulatory references:			
DEU	Deutschland	WirkungDosisNOAELMAK-und BAT-Werte-Liste 2024 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe	
ESP	España	Límites de exposición profesional para agentes químicos en España 2024	
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021	
HRV	Hrvatska	PRAVILNIK O IZMJENAMA I DOPUNAMA PRAVILNIKA O ZAŠTITI RADNIKA OD IZLOŽENOSTI OPASNIM KEMIČALIJAMA NA RADU, GRANIČNIM VRIJEDNOSTIMA IZLOŽENOSTI I BIOLOŠKIM GRANIČNIM VRIJEDNOSTIMA	
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81	
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti rakotvornim, mutagenim ali reprotoksičnim snovem pri delu. Ljubljana, četrtek 4. 4. 2024	
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)	
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive (EU) 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.	
EPY 11.9.0 - SDS 1004.14			

Licata S.p.A.		Revision nr.5 Dated 13/06/2025 Printed on 13/06/2025 Page n. 7 / 16 Replaced revision:4 (Dated 15/10/2024)		EN
P0035 - GLOSSY OPACO BIANCO				
SECTION 8. Exposure controls/personal protection ... / >>				
ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards. Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.				
SECTION 9. Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Properties	Value	Information		
Appearance	dense liquid			
Colour	various			
Odour	characteristic			
Melting point / freezing point	not available			
Initial boiling point	not available			
Flammability	not available			
Lower explosive limit	not available			
Upper explosive limit	not available			
Flash point	not available			
Auto-ignition temperature	not available			
Decomposition temperature	not available			
pH	8-10	Method:pHmetro Mettler Toledo Temperature: 20 °C		
Kinematic viscosity	not available			
Dynamic viscosity	5500	Method:Brookfield Remark:mPa*s Temperature: 20 °C		
Solubility	miscible			
Partition coefficient: n-octanol/water	not available			
Vapour pressure	not available			
Density and/or relative density	1,24 kg/dm3	Method:Picnometro Temperature: 20 °C		
Relative vapour density	not available			
Particle characteristics	not applicable			
Supplementary information for nanoforms				
AMORPHOUS SILICATE HYDRATE (nanoform)				
Denomination	CAB-O-SIL M-5			
Other identifier	Biossido di silicio,Silice sintetica Amorfa			
Shape 1:				
Category	spheroidal			
Shape	spherical			
D10	7 - 15	nm		
D50	2 - 30	nm		
D90	10 - 35	nm		
Specific surface area by mass	50 - 450	m2/g		
MINEMA 1-2-44				
Shape 1:				
D50	5	µm		
Crystallinity				
Crystalline structure 1:				
Surface functionalisation / treatment				
Surface treatments 1:				
9.2. Other information				
9.2.1. Information with regard to physical hazard classes				
Information not available				

EPY 11.9.0 - SDS 1004.14

<div> <div>Licata S.p.A.</div> <div>P0035 - GLOSSY OPACO BIANCO</div> </div>		<div> <div>Revision nr.5</div> <div>Dated 13/06/2025</div> <div>Printed on 13/06/2025</div> <div>Page n. 8 / 16</div> <div>Replaced revision:4 (Dated 15/10/2024)</div> </div> <div>EN</div>
SECTION 9. Physical and chemical properties ... / >>		
<div>9.2.2. Other safety characteristics</div> <div>VOC (Directive 2010/75/EU)1,05 % - 12,99 g/litre</div>		
SECTION 10. Stability and reactivity		
<div>10.1. Reactivity</div> <div>There are no particular risks of reaction with other substances in normal conditions of use.</div> <div>ETHANEDIOL</div> <div>In the air absorbs moisture.Decomposes at temperatures above 200°C/392°F.</div> <div>10.2. Chemical stability</div> <div>The product is stable in normal conditions of use and storage.</div> <div>10.3. Possibility of hazardous reactions</div> <div>No hazardous reactions are foreseeable in normal conditions of use and storage.</div> <div>ETHANEDIOL</div> <div>Risk of explosion on contact with: perchloric acid.May react dangerously with: chlorosulphuric acid,sodium hydroxide,sulphuric acid,phosphorus pentasulphide,chromium (III) oxide,chromyl chloride,potassium perchlorate,potassium dichromate,sodium peroxide,aluminium.Forms explosive mixtures with: air.</div> <div>10.4. Conditions to avoid</div> <div>None in particular. However the usual precautions used for chemical products should be respected.</div> <div>ETHANEDIOL</div> <div>Avoid exposure to: sources of heat,naked flames.</div> <div>10.5. Incompatible materials</div> <div>Information not available</div> <div>10.6. Hazardous decomposition products</div> <div>ETHANEDIOL</div> <div>May develop: hydroxyacetaldehyde,glyoxal,acetaldehyde,methane,carbon monoxide,hydrogen.</div>		
SECTION 11. Toxicological information		
<div>In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.</div> <div>It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.</div> <div>11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008</div> <div>Metabolism, toxicokinetics, mechanism of action and other information</div> <div>Information not available</div> <div>Information on likely routes of exposure</div> <div>ETHANEDIOL</div> <div>WORKERS: inhalation; contact with the skin.</div> <div>POPULATION: inhalation of ambient air; contact with the skin of products containing the substance.</div> <div>Delayed and immediate effects as well as chronic effects from short and long-term exposure</div> <div>ETHANEDIOL</div> <div>Ingestion initially stimulates the central nervous system; later replaced by a phase of depression. There may be kidney damage, with anuria and uremia. Over-exposure symptoms are: vomiting, drowsiness, difficulty in breathing, convulsions. The lethal dose for humans is approx. 1.4 ml/kg.</div> <div>Interactive effects</div> <div>Information not available</div> <div>ACUTE TOXICITY</div>		
<div>EPY 11.9.0 - SDS 1004.14</div>		

P0035 - GLOSSY OPACO BIANCO**SECTION 11. Toxicological information ... / >>**

ATE (Inhalation) of the mixture: Not classified (no significant component)
ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: Not classified (no significant component)

TITANIUM DIOXIDE

LD50 (Dermal): > 10000 mg/kg Coniglio
LD50 (Oral): > 5000 mg/kg Ratto
LC50 (Inhalation vapours): > 6,82 mg/l/4h Ratto

MINEMA 1-2-44

LD50 (Dermal): > 2000 mg/kg Ratto
LD50 (Oral): > 2000 mg/kg Ratto
LC50 (Inhalation mists/powders): > 3 mg/l/4h Ratto

Reaction mass of bis(2-methylpropyl) pentanedioate and bis(2-methylpropyl) butanedioate and bis(2-methylpropyl) hexanedioate

LD50 (Dermal): 2000 mg/kg Rat
LD50 (Oral): 2000 mg/kg Rat
LC50 (Inhalation vapours): 11 mg/l/4h Rat

AMORPHOUS SILICATE HYDRATE

LD50 (Dermal): > 2000 mg/kg Ratto
LD50 (Oral): > 5000 mg/kg Ratto
LC50 (Inhalation mists/powders): > 2,2 mg/l/1h Ratto

ETHANEDIOL

LD50 (Dermal): 9530 mg/kg Rabbit
LD50 (Oral): > 2000 mg/kg Rat
ATE (Oral): 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

Trimethylolpropane

LD50 (Dermal): 10000 mg/kg Coniglio
LD50 (Oral): 14700 mg/kg Ratto
LC50 (Inhalation mists/powders): 0,85 mg/l Ratto

3-iodo-2-propinilbutilcarbamato

LD50 (Dermal): 2000 mg/kg Rabbit
LD50 (Oral): 1056 mg/kg Rat
LC50 (Inhalation vapours): 670 mg/l Rat

1,2-Benzisothiazol-3(2H)-one

LD50 (Dermal): > 2000 mg/kg Ratto
LD50 (Oral): 675,3 mg/kg Ratto

2-OCTYL-2H-ISOTHIAZOL-3-ONE

LD50 (Dermal): 311 mg/kg
LD50 (Oral): 125 mg/kg Rat
LC50 (Inhalation mists/powders): 270 mg/l/4h Rat

REACTION MASS OF 5-CHLORO-2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

LD50 (Dermal): 87,12 mg/kg Rabbit
LD50 (Oral): 64 mg/kg Rat
LC50 (Inhalation mists/powders): 0,33 mg/l/4h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

SECTION 11. Toxicological information ... / >>

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

ETHANEDIOL

Available studies have shown no carcinogenic potential. In a carcinogenicity study lasting two years, carried out by the US National Toxicology Program (NTP), in which ethylene glycol was administered in the feed, "no evidence of carcinogenic activity" in male and female B6C3F1 mice was observed (NTP, 1993).

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity**TITANIUM DIOXIDE**

LC50 - for Fish	> 1000 mg/l/96h
EC50 - for Crustacea	> 1000 mg/l/48h Pulce d'acqua grande
EC50 - for Algae / Aquatic Plants	> 10000 mg/l/72h Alghe cloroficee
EC10 for Algae / Aquatic Plants	12,7 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	5600 mg/l

MINEMA 1-2-44

LC50 - for Fish	> 100 mg/l/96h
Chronic NOEC for Algae / Aquatic Plants	> 14 mg/l

Reaction mass of bis(2-methylpropyl) pentanedioate and bis(2-methylpropyl) butanedioate and bis(2-methylpropyl) hexanedioate

LC50 - for Fish	1,6 mg/l/96h
EC50 - for Crustacea	25 mg/l/48h
EC50 - for Algae / Aquatic Plants	7,9 mg/l/72h
EC10 for Algae / Aquatic Plants	0,32 mg/l/72h
Chronic NOEC for Fish	1,6 mg/l
Chronic NOEC for Crustacea	10 mg/l
Chronic NOEC for Algae / Aquatic Plants	0,32 mg/l

AMORPHOUS SILICATE HYDRATE

LC50 - for Fish	> 10000 mg/l/96h
-----------------	------------------

Trimethylolpropane

LC50 - for Fish	1000 mg/l/96h
EC50 - for Crustacea	13000 mg/l/48h
EC50 - for Algae / Aquatic Plants	1000 mg/l/72h

P0035 - GLOSSY OPACO BIANCO

SECTION 12. Ecological information ... / >>

3-iodo-2-propinilbutilcarbammato	
LC50 - for Fish	0,2385 mg/l/96h
EC50 - for Crustacea	0,16 mg/l/48h
EC50 - for Algae / Aquatic Plants	0,053 mg/l/72h
EC10 for Algae / Aquatic Plants	0,0046 mg/l/72h
Chronic NOEC for Fish	0,0945 mg/l
Chronic NOEC for Crustacea	0,076 mg/l
Chronic NOEC for Algae / Aquatic Plants	0,0046 mg/l
1,2-Benzisothiazol-3(2H)-one	
LC50 - for Fish	> 100 mg/l/96h Trota Iridea
EC50 - for Crustacea	> 100 mg/l/48h Dafnie
EC50 - for Algae / Aquatic Plants	0,11 mg/l/72h Alghe
Chronic NOEC for Fish	0,21 mg/l Trota Iridea
Chronic NOEC for Crustacea	1,2 mg/l Dafnie
Chronic NOEC for Algae / Aquatic Plants	0,00403 mg/l Alga verde acqua dolce
2-OCTYL-2H-ISOTHIAZOL-3-ONE	
LC50 - for Fish	0,122 mg/l/96h
EC50 - for Crustacea	0,181 mg/l/48h
EC50 - for Algae / Aquatic Plants	0,15 mg/l/72h
EC10 for Algae / Aquatic Plants	0,068 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	0,068 mg/l
REACTION MASS OF 5-CHLORO-2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	
LC50 - for Fish	0,19 mg/l/96h
EC50 - for Crustacea	0,16 mg/l/48h
EC50 - for Algae / Aquatic Plants	0,037 mg/l/72h
Chronic NOEC for Fish	0,0464 mg/l
Chronic NOEC for Crustacea	0,1 mg/l
Chronic NOEC for Algae / Aquatic Plants	0,0012 mg/l

12.2. Persistence and degradability

TITANIUM DIOXIDE	
Degradability: information not available	Sostanza inorganica
MINEMA 1-2-44	
Solubility in water	50,05 mg/l 0,1-100
Degradability: information not available	Sostanza inorganica
Reaction mass of bis(2-methylpropyl) pentanedioate and bis(2-methylpropyl) butanedioate and bis(2-methylpropyl) hexanedioate	
Solubility in water	68 mg/l
Rapidly degradable	100%
AMORPHOUS SILICATE HYDRATE	
Degradability: information not available	Sostanza inorganica
ETHANEDIOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
Trimethylolpropane	
Solubility in water	100000 mg/l
Rapidly degradable	100%
3-iodo-2-propinilbutilcarbammato	
Solubility in water	168 mg/l
Inherently degradable	100%
1,2-Benzisothiazol-3(2H)-one	
NOT rapidly degradable	
2-OCTYL-2H-ISOTHIAZOL-3-ONE	
Solubility in water	500 mg/l
NOT rapidly degradable	

SECTION 12. Ecological information ... / >>

REACTION MASS OF 5-CHLORO-2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)
NOT rapidly degradable <50%

12.3. Bioaccumulative potential

Reaction mass of bis(2-methylpropyl) pentanedioate and bis(2-methylpropyl) butanedioate and bis(2-methylpropyl) hexanedioate
Partition coefficient: n-octanol/water 6,5 Log Kow

ETHANEDIOL
Partition coefficient: n-octanol/water -1,36

Trimethylolpropane
Partition coefficient: n-octanol/water -0,47 Log Kow
BCF < 17

3-iodo-2-propinilbutilcarbammato
Partition coefficient: n-octanol/water 2,81 Log Kow

2-OCTYL-2H-ISOTHIAZOL-3-ONE
Partition coefficient: n-octanol/water 2,61 Log Kow
BCF 19,21

REACTION MASS OF 5-CHLORO-2- METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)
Partition coefficient: n-octanol/water < 0,71 Log Kow Metodo HPLC
BCF 3,16

12.4. Mobility in soil

Trimethylolpropane
Partition coefficient: soil/water 1,5

3-iodo-2-propinilbutilcarbammato
Partition coefficient: soil/water 309

2-OCTYL-2H-ISOTHIAZOL-3-ONE
Partition coefficient: soil/water 179,8

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Licata S.p.A.		Revision nr.5 Dated 13/06/2025 Printed on 13/06/2025 Page n. 13 / 16 Replaced revision:4 (Dated 15/10/2024)	EN
P0035 - GLOSSY OPACO BIANCO			
SECTION 14. Transport information			
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.			
14.1. UN number or ID number			
not applicable			
14.2. UN proper shipping name			
not applicable			
14.3. Transport hazard class(es)			
not applicable			
14.4. Packing group			
not applicable			
14.5. Environmental hazards			
not applicable			
14.6. Special precautions for user			
not applicable			
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EU: None			
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006			
Product			
Point 3			
Contained substance			
Point 75			
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors			
not applicable			
Substances in Candidate List (Art. 59 REACH)			
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.			
Substances subject to authorisation (Annex XIV REACH)			
None			
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:			
None			
Substances subject to the Rotterdam Convention:			
None			
Substances subject to the Stockholm Convention:			

SECTION 15. Regulatory information ... / >>

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Repr. 2	Reproductive toxicity, category 2
Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 1	Specific target organ toxicity - repeated exposure, category 1
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1C	Skin corrosion, category 1C
Skin Corr. 1	Skin corrosion, category 1
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic

P0035 - GLOSSY OPACO BIANCO**SECTION 16. Other information ... / >>**

- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise

P0035 - GLOSSY OPACO BIANCO**SECTION 16. Other information** ... / >>

in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 08 / 09 / 11 / 12 / 13 / 15 / 16.