Licata S.p.A. P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 1 / 13 Replaced revision:4 (Dated 07/10/2024) FN

Safety Data Sheet According to Annex II to REACH - Regulation (EU) 2020/878 SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier P012 Code. Product name Repair 450 UFI: FKT0-S079-Q00Y-SXDF 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Repair mortar 1.3. Details of the supplier of the safety data sheet Name Licata S.p.A. Full address Via dei Mille 32 District and Country 00185 Roma (RM) Italia Tel. +39 0922 856088 +39 0922 831427 Fax e-mail address of the competent person controllo-qualita@licataspa.it responsible for the Safety Data Sheet 1.4. Emergency telephone number For urgent inquiries refer to NHS111in England: 111 NHS24in Scotland: 111 NHS Direct in Wales: 111 or 0845 4647 In an emergency, if the patient has collapsed or is not breathing properly, call 999

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Skin corrosion, category 1	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,	H335	May cause respiratory irritation.
category 3		
Skin sensitization, category 1	H317	May cause an allergic skin reaction.

2.2. Label elements

F

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 2 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 2. Hazards identification ... / >>

Hazard statements: H314 H335 H317	Causes severe skin burns and eye damage. May cause respiratory irritation. May cause an allergic skin reaction.
Precautionary statements:	
P260	Do not breathe dust / fume / gas / mist / vapours / spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor /
P264	Wash thoroughly after handling.
Contains:	Portland cement clinker Portland cement clinker flue dust Ossido di Calcio

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\ge 0.1\%$.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification		x = Conc. %	Classification (EC) 1272/2008 (CLP)
Portland cem	ent clinker		
INDEX		30 ≤ x < 32,5	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317
EC	266-043-4		
CAS	65997-15-1		
REACH Reg.	02-2119682167	-31-0000	
QUARTZ			
INDEX		22,5 ≤ x < 24	Substance with a community workplace exposure limit.
EC	238-878-4		
CAS	14808-60-7		
Portland cem	ent clinker		
INDEX		2≤x< 3	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317
EC	266-043-4		
CAS	65997-15-1		
REACH Reg.	02-2119682167	-31-0000	
flue dust			
INDEX		1≤x< 2	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317
EC	270-659-9		
CAS	68475-76-3		
REACH Reg.	01-2119486767	-17-0xxx	
Ossido di Cal	cio		
INDEX		1≤x< 2	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335
EC	215-138-9		
CAS	1305-78-8		
Fumes, silica			
INDEX		1≤x< 2	Substance with a community workplace exposure limit.
EC	273-761-1		
CAS	69012-64-2		
REACH Reg.	01-2119486866	-17-0038	

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 3 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 3. Composition/information on ingredients / >>

QUARTZ

INDEX FC CAS

238-878-4 14808-60-7 **STOT RE 1 H372**

The full wording of hazard (H) phrases is given in section 16 of the sheet.

0 < x < 0.003

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor / . . .

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT Choose the most appropriate extinguishing equipment for the specific case. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE The product is neither flammable nor combustible.

5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

FN

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 4 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP	España	Límites de exposición profesional para agentes químicos en España 2024
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021
HRV	Hrvatska	PRAVILNIK O IZMJENAMA I DOPUNAMA PRAVILNIKA O ZAŠTITI RADNIKA OD
		IZLOŽENOSTI OPASNIM KEMIKALIJAMA NA RADU, GRANIČNIM VRIJEDNOSTIMA
		IZLOŽENOSTI I BIOLOŠKIM GRANIČNIM VRIJEDNOSTIMA
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
SVN	Slovenija	Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti rakotvornim, mutagenim ali reprotoksičnim snovem pri delu. Ljubljana, četrtek 4. 4. 2024
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU)
		2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive
		2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive
		91/322/EEC.

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 5 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 8. Exposure controls/personal protection/>>

			Ossio	do di Calcio				
Predicted no-effect cor	ncentration	- PNEC						
Normal value in fresh	water			0,37	mg/l			
Normal value in marir	ne water					0,24	mg/l	
Normal value for wate	er, intermitte	nt release				0,37	mg/l	
Normal value for fresl	h water, inte	rmittent release				0,24	mg/l	
Normal value of STP	microorgani	sms		2,27	mg/l			
Normal value for the t	terrestrial co	mpartment				817,4	mg/kg/d	
Health - Derived no-effe	ect level - D	NEL / DMEL						
	Effects or	n consumers			Effects on w	vorkers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation	4		1		4		1	
	mg/m3		mg/m3		mg/m3		mg/m3	

				Portland cement clin	ker		
Threshold Limit V	/alue						
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
VLEP	ITA	1					

				Portland cement clin	ker		
Threshold Limi	t Value						
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
VLEP	ITA	1					

			fl	ue dust				
Predicted no-effect cor	ncentration	- PNEC						
Normal value in fresh	water					0,282	mg/l	
Normal value in marir	ne water					0,028	mg/l	
Normal value for fresl	h water sed	iment				0,875	mg/kg/d	
Normal value for mar	ine water se	ediment				0,088	mg/kg/d	
Normal value for wate	er, intermitte	ent release				0,282	mg/l	
Normal value of STP	microorgan	isms				6	mg/l	
Normal value for the	terrestrial co	ompartment				5	mg/kg/d	
Health - Derived no-effe	ect level - D	DNEL / DMEL						
	Effects o	n consumers			Effects on w	orkers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation			0,84		4		0,84	
			mg/m3		mg/m3		mg/m3	

				QUARTZ			
Threshold Limit	Value						
Туре	Country	TWA/8h		STEL/15mir	ı	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
VLA	ESP		0,05			RESP	
VLEP	FRA	0,1				RESP	
GVI/KGVI	HRV	0,1					
VLEP	ITA	0,1				RESP	
MV	SVN	0,05				RESP	
OEL	EU	0,1				RESP	

Licata S.p.A. P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 6 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 8. Exposure controls/personal protection ... / >>

			QUARIZ			
Value						
Country	TWA/8h		STEL/15mir	า	Remarks / Observations	
	mg/m3	ppm	mg/m3	ppm		
ESP		0,05			RESP	
FRA	0,1				RESP	
HRV	0,1					
ITA	0,1				RESP	
SVN	0,15				RESP	
EU	0,1				RESP	
	Country ESP FRA HRV ITA SVN	Country TWA/8h mg/m3 ESP FRA FRA 0,1 HRV 0,1 ITA 0,1 SVN 0,15	Country TWA/8h mg/m3 ppm ESP 0,05 FRA 0,1 HRV 0,1 ITA 0,1 SVN 0,15	Country TWA/8h STEL/15mir mg/m3 ppm mg/m3 ESP 0,05 FRA 0,1 HRV 0,1 ITA 0,15	Country TWA/8h STEL/15min mg/m3 ppm mg/m3 ppm ESP 0,05 FRA 0,1 HRV 0,1 SVN 0,15	Country TWA/8h STEL/15min Remarks / Observations mg/m3 ppm mg/m3 ppm ESP 0,05 RESP FRA 0,1 RESP HRV 0,1 RESP SVN 0,15 RESP

Fumes, silica **Threshold Limit Value** Country TWA/8h STEL/15min Remarks / Observations Type mg/m3 mg/m3 ppm ppm EU OEL RESP polvere di silice cristallina 0.1 Health - Derived no-effect level - DNEL / DMEL Effects on consumers Effects on workers Acute Route of exposure Acute Chronic Chronic Chronic Chronic Acute Acute local systemic local systemic local systemic local systemic Inhalation 0.300 mg/m3

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment. The above values are not TLVs, but guide values, to be used for particles that do not have their own TLV and that are insoluble or poorly soluble in water and have low toxicity.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties
Appearance
Colour
Odour
Melting point / freezing point
Initial boiling point

Value powder grey characteristic not available not available Information

P012 - Repair 450

SECTION 9. Physical and chemical properties/>>

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Flammable liquids Sustained combustibility

does not sustain combustion

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

Portland cement clinker

When mixed with water, the white concrete hardens forming a stable mass that does not react with the environment.

Portland cement clinker

When mixed with water, the white concrete hardens forming a stable mass that does not react with the environment.

CALCIUM CARBONATE

Decomposes at temperatures above 800°C/1472°F.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

QUARTZ

Stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

QUARTZ

Decomposes if exposed to: sources of heat. **10.5. Incompatible materials**

QUARTZ

Incompatible with: Oxidants. CALCIUM CARBONATE Incompatible with: acids. Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 7 / 13 Replaced revision:4 (Dated 07/10/2024) EN

@EPY 11.9.0 - SDS 1004.14

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 8 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 10. Stability and reactivity ... / >>

10.6. Hazardous decomposition products

CALCIUM CARBONATE

May develop: calcium oxides,carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

> CALCIUM CARBONATE LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders):

> flue dust LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders):

> Ossido di Calcio LD50 (Oral): LC50 (Inhalation mists/powders):

Fumes, silica LD50 (Dermal): LD50 (Oral): LC50 (Inhalation mists/powders):

SKIN CORROSION / IRRITATION

Corrosive for the skin Classification according to the experimental pH value

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

2000 mg/kg Rat 2000 mg/kg Rat 3 mg/l Rat

2000 mg/kg Ratto 1848 mg/kg Ratto 6,04 mg/l/4h Ratto

2000 mg/kg Ratto 6,04 mg/l/4h Ratto

5000 mg/kg Rabbit 5000 mg/kg Rat 140 mg/l Rat

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 9 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 11. Toxicological information ... / >>

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

CALCIUM CARBONATE EC50 - for Algae / Aquatic Plants EC10 for Algae / Aquatic Plants Chronic NOEC for Algae / Aquatic Plants	14 mg/l/72h 14 mg/l/72h 14 mg/l
flue dust EC50 - for Algae / Aquatic Plants EC10 for Algae / Aquatic Plants Chronic NOEC for Fish Chronic NOEC for Crustacea Chronic NOEC for Algae / Aquatic Plants	28,2 mg/l/72h 10,3 mg/l/72h 11,1 mg/l 100 mg/l 10,3 mg/l
Ossido di Calcio LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants EC10 for Crustacea EC10 for Algae / Aquatic Plants Chronic NOEC for Crustacea Chronic NOEC for Algae / Aquatic Plants	50,6 mg/l/96h 49,1 mg/l/48h 184,57 mg/l/72h 75 mg/l/48h 79,22 mg/l/72h 33,3 mg/l 48 mg/l
Fumes, silica LC50 - for Fish EC50 - for Algae / Aquatic Plants LC10 for Fish EC10 for Algae / Aquatic Plants Chronic NOEC for Algae / Aquatic Plants	100 mg/l/96h 250 mg/l/72h 10000 mg/l/96h 228 mg/l/72h 228 mg/l

12.2. Persistence and degradability

CALCIUM CARBONATE
Solubility in water
Degradability: information not available

16,6 mg/l Sostanza inorganica

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 10 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 12. Ecological information/>>

Portland cement clinker Solubility in water Degradability: information not available

QUARTZ Degradability: information not available

Portland cement clinker Solubility in water Degradability: information not available

flue dust Degradability: information not available

Ossido di Calcio Solubility in water Degradability: information not available

Fumes, silica Solubility in water Degradability: information not available

QUARTZ Degradability: information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID:	ADR EXEMPT
IMDG:	IMDG CODE EXEMPT
IATA:	UN 1910

Sostanza inorganica

800 mg/l

800 mg/l Sostanza inorganica

1338 mg/l Sostanza Inorganica

135 mg/l Sostanza inorganica

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 11 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 14. Transport information ... / >>

14.2. UN proper shipping name

ADR / RID:	ADR EXEMPT
IMDG:	IMDG CODE EXEMPT
IATA:	CALCIUM OXIDE MIXTURE

14.3. Transport hazard class(es)

ADR / RID:	ADR EXEMPT
IMDG:	IMDG CODE EXEMPT

IATA:

Class: 8 Label: 8



14.4. Packing group

ADR / RID: ADR EXEMPT IMDG: IMDG CODE EXEMPT IATA: III

14.5. Environmental hazards

ADR / RID:	ADR EXEMPT
IMDG:	IMDG CODE EXEMPT
IATA:	NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: - Special provision: -	Limited Quantities: -	Tunnel restriction code: -
IMDG:	EMS: -	Limited Quantities: -	
IATA:	Cargo:	Maximum quantity: 100 kg	Packaging instructions: 864
	Passengers:	Maximum quantity: 25 kg	Packaging instructions: 860
	Special provision:	A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

eveso Category - Directive 2012/18/EU:	None
	stances pursuant to Annex XVII to EC Regulation 1907/2006
Contained substance Point 75	
Regulation (EU) 2019/1148 - on the marketing and unot applicable	use of explosives precursors

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None EN

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 12 / 13 Replaced revision:4 (Dated 07/10/2024) FN

SECTION 15. Regulatory information ... / >>

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

STOT RE 1 Skin Corr. 1	Specific target organ toxicity - repeated exposure, category 1 Skin corrosion, category 1
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
H372	Causes damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament

P012 - Repair 450

Revision nr.5 Dated 24/06/2025 Printed on 24/06/2025 Page n. 13 / 13 Replaced revision:4 (Dated 07/10/2024)

SECTION 16. Other information ... / >>

- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- 27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)

- The Merck Index. - 10th Edition

- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 08 / 10 / 11 / 12 / 13 / 14 / 16.