# Licata S.p.A.

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025 Page n. 1 / 11

(RM)

Replaced revision:1 (Dated 04/01/2021)

### **Safety Data Sheet**

According to Annex II to REACH - Regulation (EU) 2020/878

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: P10185

Product name Colorado Frattazzato

UFI: RQU0-C06F-Q00E-DCY9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Dust -duty dust

1.3. Details of the supplier of the safety data sheet

Name Licata S.p.A.
Full address Via dei Mille 32

District and Country 00185 Roma

Italia

Tel. +39 0922 856088 Fax +39 0922 831427

e-mail address of the competent person

responsible for the Safety Data Sheet controllo-qualita@licataspa.it

1.4. Emergency telephone number

For urgent inquiries refer to NHS111in England: 111

NHS24in Scotland: 111

NHS Direct in Wales: 111 or 0845 4647

In an emergency, if the patient has collapsed or is not breathing properly, call 999

### **SECTION 2. Hazards identification**

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1 H314 Causes severe skin burns and eye damage.

Serious eye damage, category 1 H318 Causes serious eye damage.
Skin sensitization, category 1 H317 May cause an allergic skin reaction.

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

**H314** Causes severe skin burns and eye damage.

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025 Page n. 2 / 11

Replaced revision:1 (Dated 04/01/2021)

### SECTION 2. Hazards identification .../>>

**H317** May cause an allergic skin reaction.

Precautionary statements:

P260 Do not breathe dust / fume / gas / mist / vapours / spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsina

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P310 Immediately call a POISON CENTER / doctor / . . .

P264 Wash . . . thoroughly after handling.

Contains: Portland cement clinker

CALCIUM HYDROXIDE

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

### **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

**CALCIUM HYDROXIDE** 

INDEX 12 ≤ x < 13,5 Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335

EC 215-137-3 CAS 1305-62-0

REACH Reg. 01-2119475151-45-0268

Portland cement clinker

INDEX 3 ≤ x < 4 Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 266-043-4 CAS 65997-15-1

REACH Reg. 02-2119682167-31-0000

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

### Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025 Page n. 3 / 11 Replaced revision:1 (Dated 04/01/2021)

### SECTION 4. First aid measures .../>>

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor / . . .

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

### **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Choose the most appropriate extinguishing equipment for the specific case.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

The product is neither flammable nor combustible.

#### 5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6. Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage**

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

## P10185 - Colorado Frattazzato

91/322/EEC.

Revision nr.2
Dated 29/07/2025
Printed on 29/07/2025
Page n. 4 / 11
Replaced revision:1 (Dated 04/01/2021)

### **SECTION 7. Handling and storage**

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

### SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory references:

| DEU | Deutschland    | WirkungDosisNOAELMAK-und BAT-Werte-Liste 2024 Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe   |
|-----|----------------|--|
| ESP | España         | Límites de exposición profesional para agentes químicos en España 2024   |
| FRA | France         | Valeurs limites d'exposition professionnelle aux agents chimiques en FranceDécret n° 2021-1849 du 28 décembre 2021   |
| HRV | Hrvatska       | PRAVILNIK O IZMJENAMA I DOPUNAMA PRAVILNIKA O ZAŠTITI RADNIKA OD<br>IZLOŽENOSTI OPASNIM KEMIKALIJAMA NA RADU, GRANIČNIM VRIJEDNOSTIMA<br>IZLOŽENOSTI I BIOLOŠKIM GRANIČNIM VRIJEDNOSTIMA   |
| ITA | Italia         | Decreto Legislativo 9 Aprile 2008, n.81  |
| SVN | Slovenija      | Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti rakotvornim, mutagenim ali reprotoksičnim snovem pri delu. Ljubljana, četrtek 4. 4. 2024  |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020)  |
| EU  | OEL EU         | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive |

Portland cement clinker **Threshold Limit Value** TWA/8h STEL/15min Type Country Remarks / Observations mg/m3 ppm mg/m3 ppm VLEP ITA

|  |                      |                |     | CALCIUN    | I HYDROXIC | )E      |                        |          |         |          |  |
|--|----------------------|----------------|-----|------------|------------|---------|------------------------|----------|---------|----------|--|
| Threshold Limit Va                           | alue                 |                |     |            |            |         |                        |          |         |          |  |
| Туре   | Country              | TWA/8h         |     | STEL/15min |            |         | Remarks / Observations |          |         |          |  |
|  | -                    | mg/m3          | ppm | mg         | g/m3       | ppm     |                        |          |         |          |  |
| AGW  | DEU                  | 1              |     |            | 2          |         | INHAL                  |          |         |          |  |
| MAK  | DEU                  | 1              |     | 2          | 2          |         | INHAL                  |          |         |          |  |
| VLA  | ESP                  | 1              |     | 4          | 4          |         |                        |          |         |          |  |
| VLEP   | FRA                  | 1              |     | 4          | 4          |         |                        |          |         |          |  |
| GVI/KGVI                                     | HRV                  | 1              |     | 4          | 4          |         | RESP                   |          |         |          |  |
| VLEP   | ITA                  | 1              |     | 4          | 4          |         | RESP                   |          |         |          |  |
| MV   | SVN                  | 1              |     | 4          | 4          |         |                        |          |         |          |  |
| WEL  | GBR                  | 5              |     |            |            |         | INHAL                  |          |         |          |  |
| WEL  | GBR                  | 1              |     | 4          | 4          |         | RESP                   |          |         |          |  |
| OEL EU 1                                     |                      |                | 4   |            |            | RESP    |                        |          |         |          |  |
| Predicted no-effec                           | t concentra          | tion - PNEC    |     |            |            |         |                        |          |         |          |  |
| Normal value in                              | fresh water          |                |     |            |            |         |                        | 0,49     | mg/l    |          |  |
| Normal value in marine water                 |                      |                |     |            |            |         |                        | 0,32     | mg/l    |          |  |
| Normal value for water, intermittent release |                      |                |     |            |            |         |                        | 0,49     | mg/l    |          |  |
| Normal value of STP microorganisms           |                      |                |     |            |            |         |                        | 3        | mg/l    |          |  |
| Normal value for the terrestrial compartment |                      |                |     |            |            |         |                        | 1080     | mg/kg/d |          |  |
| lealth - Derived no                          | o-effect leve        | el - DNEL / DN | IEL |            |            |         |                        |          |         |          |  |
|  | Effects on consumers |                | ers |            |            | Effects | Effects on workers     |          |         |          |  |
| Route of exposu                              | re Acut              | te Acute       |     | Chronic    | Chronic    | Acute   |                        | Acute    | Chronic | Chronic  |  |
|  | loca                 | l syster       | nic | local      | systemic   | local   |                        | systemic | local   | systemic |  |
| Inhalation                                   | 4                    | •              |     | 1          | -          | 4       |                        | -        | 1       | -        |  |
|  | mg/ı                 | m3             |     | mg/m3      |            | mg/m3   |                        |          | mg/m3   |          |  |

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025 Page n. 5 / 11

Replaced revision:1 (Dated 04/01/2021)

### SECTION 8. Exposure controls/personal protection .../>>

hazard ; MED = medium hazard ; HIGH = high hazard.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment. The above values are not TLVs, but guide values, to be used for particles that do not have their own TLV and that are insoluble or poorly soluble in water and have low toxicity.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374).

Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

**ENVIRONMENTAL EXPOSURE CONTROLS** 

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Properties** Value Appearance powder Colour white Odour characteristic Melting point / freezing point not available Initial boiling point not available Flammability incombustible Lower explosive limit not available Upper explosive limit not available Flash point not available Auto-ignition temperature not available Decomposition temperature not available рΗ 12 Kinematic viscosity not available Solubility soluble Partition coefficient: n-octanol/water not available Vapour pressure not available Density and/or relative density not available Relative vapour density not available Particle characteristics not available

### Information

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

### Flammable liquids

Sustained combustibility

does not sustain combustion

# Licata S.p.A.

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025 Page n. 6 / 11 Replaced revision:1 (Dated 04/01/2021)

### SECTION 9. Physical and chemical properties ..../>

9.2.2. Other safety characteristics

Explosive properties not applicable

### **SECTION 10. Stability and reactivity**

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

Portland cement clinker

When mixed with water, the white concrete hardens forming a stable mass that does not react with the environment.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

CALCIUM HYDROXIDE

Incompatible with: acids,light metals,Organic nitrogen compounds,water,phosphorus,Hydrogen sulfur.

### 10.6. Hazardous decomposition products

Information not available

### **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

ATE (Oral) of the mixture:

ATE (Dermal) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

CALCIUM HYDROXIDE

LD50 (Dermal): 2500 mg/kg Coniglio LD50 (Oral): 2000 mg/kg Ratto

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025
Page n. 7 / 11
Replaced revision:1 (Dated 04/01/2021)

### SECTION 11. Toxicological information .../>>

LC50 (Inhalation mists/powders):

6,04 mg/l/4h Ratto

### SKIN CORROSION / IRRITATION

Corrosive for the skin

Classification according to the experimental pH value

### SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

### RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

**CALCIUM HYDROXIDE** 

50,6 mg/l/96h LC50 - for Fish 49,1 mg/l/48h EC50 - for Crustacea 184,57 mg/l/72h EC50 - for Algae / Aquatic Plants 75 mg/l/48h EC10 for Crustacea EC10 for Algae / Aquatic Plants 79,22 mg/l/72h Chronic NOEC for Fish 32 mg/l 33,3 mg/l Chronic NOEC for Crustacea Chronic NOEC for Algae / Aquatic Plants 48 mg/l

### 12.2. Persistence and degradability

CALCIUM HYDROXIDE

Solubility in water 1845 mg/l

Degradability: information not available Sostanza inorganica

Portland cement clinker

# Licata S.p.A.

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025 Page n. 8 / 11

Replaced revision:1 (Dated 04/01/2021)

### SECTION 12. Ecological information ..../>>

Solubility in water

Degradability: information not available

800 mg/l Sostanza inorganica

### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0.1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

### **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

The management of waste arising from the use or dispersal of this product must be organised in accordance with occupational safety regulations. See section 8 for possible need for PPE.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number or ID number

not applicable

### 14.2. UN proper shipping name

not applicable

### 14.3. Transport hazard class(es)

not applicable

### 14.4. Packing group

not applicable

### 14.5. Environmental hazards

not applicable

#### F١

# Licata S.p.A.

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025 Page n. 9 / 11

Replaced revision:1 (Dated 04/01/2021)

### SECTION 14. Transport information .../>>

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

### **SECTION 15. Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

### **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Skin Corr. 1 Skin corrosion, category 1
Eye Dam. 1 Serious eye damage, category 1
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Skin Sens. 1Skin sensitization, category 1Skin Sens. 1BSkin sensitization, category 1B

**H314** Causes severe skin burns and eye damage.

H318 Causes serious eye damage.H315 Causes skin irritation.

H335 May cause respiratory irritation.H317 May cause an allergic skin reaction.

### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level

### P10185 - Colorado Frattazzato

Revision nr.2 Dated 29/07/2025 Printed on 29/07/2025 Page n. 10 / 11

Replaced revision:1 (Dated 04/01/2021)

### SECTION 16. Other information .../>>

- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- 26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)
- 27. Delegated Regulation (UE) 2024/2564 (XXII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

# Licata S.p.A.

### P10185 - Colorado Frattazzato

Revision nr.2
Dated 29/07/2025
Printed on 29/07/2025
Page n. 11 / 11
Replaced revision:1 (Dated 04/01/2021)

### SECTION 16. Other information .../>>

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01/02/03/04/08/09/10/11/12/13/14/15/16.